



Technical details Amika

Feeding

- Flow rate range**
- 1-100 mL/h (1 mL/h increments)
 - 100-600 mL/h (5 mL/h increments)

Flow rate accuracy
+/- 5% at 125 mL/h

Feeding mode
Continuous

Priming
Automatic, semi-automatic and manual priming are available

Counter
Cumulative feeding volume counter from 0.001 L to 99999 L

Data events log:

- Feeding history: 250 events
- Alarm history: 250 events

Night mode
The night mode decreases the brightness of the screen and the power LED

Keypad lock
Disabling keypad to prevent unintentional key press

Setting lock
Possibility to prevent patient from changing settings, access code protected

Other settings
Target volume activation/deactivation, sound level adjustment, key beep activation/deactivation, contrast & brightness settings, time between alarm sounds setting, time between target volume almost reached message and target volume reached setting

Intended use: for enteral feeding use only

Information / alarms

Pump status

- Administration in progress: droplet animation
- Administration stopped: stop symbol displayed
- Administration on hold (during Bolus Interval Time): droplet animation

Information
Target volume almost reached, battery almost discharged, start reminder, technical information

Alarms
Target volume reached, door opened, wrong set installation, downstream occlusion, upstream occlusion, empty bag / air in line, empty battery, technical error. All alarms represented by light indicators, pictograms and sounds

Occlusion detection time
< 6 min (at 50 mL/h - with medical water)

Empty bag / air in line detection time
< 5 min (at 50 mL/h - with medical water)

Technical specifications

Pumping mechanism
Linear peristaltic pumping system

Display
Monochrome LCD 40 x 59 mm (160 x 240 pixels)

Clamp
Versatile clamp to fix on a rail (10 - 35 mm) or a pole (Ø 8 - 40 mm)

Dimensions (H/W/D) / Weight

- Pump: 138 x 128 x 48 mm / 610 g
- Smart Holder Power: 132 x 118 x 46 mmxx (without clamp) / 450 g

Battery

- 4.8 V ; 2.2 Ah NiMH (Nickel-Metal Hydride)
- Battery life: 24 h +/- 5% at 125 mL/h
- Battery level indication: on the display
- Battery charging time: 6 h

Compliance standard

- EN/IEC 60 601-1, EN/IEC IEC 60 601-1-2 and EN/IEC IEC 60601-2-24
- Complies with the 93/42/EEC Medical Device Directive or the Medical Device Regulation (EU) 2017/745

Waterproofness

- Pump: IP35
- Smart Holder Power: IP32

Electrical compliance

- Protection against leakage current: defibrillation-proof type CF
- Protection against electric shocks: class II

Power supply

100 - 240 V, 50-60 Hz

Power consumption

Maximum 7 W in standard operating conditions

Noise

Around 25.8 dBA at 1 m (background noise 18.3 dBA)

Housing material

ABS

Amika administration set

Free-flow protection

All sets are designed with the Amika clamp preventing the risk of free-flow when the door is opened and when the set is disengaged

Set length

Around 2.50 m, adjustable anti-free-flow Amika clamp positioning

Materials

All Amika lines administration sets are DEHP-free & latex-free

Amika accessories

Amika backpack

For ambulatory use. Exist in large and small versions

Smart Holder Power

Pump Holder Power accessory with integrated AC/DC adapter

Smart Holder COM

Pump Holder COM accessory with integrated AC/DC adapter

USB Cable

For maintenance activities. To be connected with Smart Holder COM

Nurse Call Cable

To connect Smart Holder COM to Nurse Call system

Partner Software

Software for maintenance activities of Amika/Amika+ pumps

Universal table stand

An alternative pole to install pump on a table

Amika AC Adapter/charge EU*

AC adapter power supply (plug type C)

Amika AC Adapter/charge INT*

AC adapter power supply (plug types C/G/M/A/I)

* Only compatible with Amika Holder Power and Amika Holder COM

Amika is a registered trademark by Fresenius Kabi in selected countries. Due to our policy of continuous product development as well as changes in standards, the features described are subject to change or not available in your country, please contact your sales representative for the most updated information. These medical devices are regulated by health authorities. Please refer to the respective CE Declaration of Conformity for the applicable Medical Device Directive or Regulation. Some applications are available only in future releases. Please contact your Fresenius Kabi representative for more details. Pictures are not contractual.

Amika

Enteral Nutrition Pump



A complete range of dedicated accessories

Amika Backpack

Large Small



Amika Table Stand



Smart Holder Power





Easy to live


Hospital and Homecare



From Formulation to Administration, the complete Feeding Solution from Fresenius Kabi

Designed for improved safety

- Dedicated enteral giving sets.
- Latest sensor technology for enhanced detection capability.
- Keypad and Settings Lock functions for a safer use of Amika.



* Patented safety clamp.

** All universal giving sets are also available as ENfit-version (without any adaptors).

Amika

Safe, Intuitive, Convenient

Designed for a safer and intuitive use in nutritional care, Amika is an easy to use and comfortable feeding pump for chronically and critically ill patients.

Amika and its dedicated sets offer a system that eases enteral feeding for both healthcare professionals and patients.

Convenient for better Comfort

- Operates silently.
- Compact design and long battery life for high mobility.
- Multiple possibilities of pump settings to adapt to all environments.
- Versatile pump holder usable with a wide range of supports.

Light indicator to monitor Amika at a glance




Anti free-flow system Safety Clamp*



Intuitive for higher efficiency

- Graphical symbol-based display for rapid and universal understanding.
- Ergonomic and robust design suitable for hospital and homecare.
- Direct access to main functions to optimize workflow.

Symbol-based interface for user guidance



Direct access to key functions



Settings Lock function secured by an access code

